

# Device Modeling Report

Components: Solar Cell

Product Name: RNG-100DB-H

Manufacture: RENOLOGY

Kawatta-



All rights reserved © 2020 Kawatta-

## OverView

This report shows LTspice simulation results of RNG-100DB-H characteristics from datasheet.

I-V and P-V characteristics work in condition of datasheet.


\*STC is Irradiance 1000W/m<sup>2</sup>, AM1.5 spectrum, module temperature 25°C

\*This model only works at 25°C of LTspice setting and works voltage from 0V – 22.5V

## Specification of electrical performance form datasheet (STC)

Parameter	Value
Maximum Power (Pmax)	100W
Maximum Power Voltage (Vmpp)	18.9V
Maximum Power Current (Impp)	5.29A
Open Circuit Voltage (Voc)	22.5V
Short Circuit Current (Isc)	5.75A

## Simulation Circuit



\*Vcurrent works as Ammeter.


\*V1 works as source of dc sweep of RNG-100DB-H(0V- 23V).

(\*This model works from voltage 0V – 22.5V)


\*R1 is load resistance (arbitrary value, EX:10Ω).

\*“.temp” works as temperature in STC(25°C)

## Simulation result



## Results of applied to voltage value of datasheet(Electrical performance in STC)



## Error between specification and Simulation.

Symbol	Specification	Simulation	%Error
I <sub>sc</sub>	5.750	5.750	0.000%
V <sub>oc</sub>	22.500	22.519	0.084%
V <sub>mpp</sub>	18.900	18.899	-0.005%
I <sub>mpp</sub>	5.290	5.295	0.099%
P <sub>max</sub> (I <sub>mpp</sub> *V <sub>mpp</sub> )	99.981	100.074	0.093%

**change history**

DATE	DATAILS
2020/12/29	New